



NASA Langley Flight Test Assets and Evaluation Capabilities

Frank Jones

Associate Director, Research Services Directorate

October 16, 2007





Briefing Purpose

- To introduce the flight test assets and evaluation capabilities at NASA Langley
- Pursue areas of mutually beneficial working arrangements



Simulation-to-Flight Research

Simulation



- Research Flight Deck
- Integration flight Deck
- System Integration Labs
- Cockpit Motion Facility
- Differential Maneuvering Simulator

Flight



Common:

- Researchers
- Hardware/Software
- Data Systems

**Efficient, synergistic, & realistic
aircraft safety and airspace
research capability**

Research

- Ideas
- Concepts
- Technology
- Constructs (Systems)

- Aircraft
- Instrumentation development and integration
- Research system test and evaluation
- Flight Ops Support Center



Langley Research Center

Science Platform - LaRC King Air B200




Altitude	35,000 ft (10.7 km), maximum 28,000 ft, nominal operating
Range	800 nmi (1,300 km) at sampling speed
Endurance	4+ hr, maximum (with IFR reserve)
Speed	259 KIAS (133 m/s) cruise

Payload	2500 lb (1,136 kg), maximum 500 lb (227 kg), with full fuel
Nadir port (2)	Fwd: 29.5 in. x 29.25 in. Aft: 26.75 in. x 22.5 in.
Electrical Power	(3) 1400 W inverters, each supply 115 V AC, 10 A



Standard 19 in.
rack, approx. 4 ft
tall

4 down looking optical
remote sensing instruments:
width 19 in., length 30 in.,
and height 34 in.





Rockwell OV-10A Bronco



Main body of tank 61 in.
long, 18-in. diameter

- Twin turboprop aircraft with tandem seating (non-pressurized)
- Fully aerobatic capable
- Reconfigurable aft cockpit for researcher/test subject with displays and controls
- Data acquisition system and telemetry available
- 75-cu.ft cargo bay
- Downward-looking capabilities with wing and centerline hard points for pods and equipment mounting



Langley Research Center

Flight Operations Support Center



Flight Control Room


Data Acquisition and Processing Station





Coming Soon

- Unmanned Aerial Systems operations are a new frontier with much work to do
 - Procedures - airspace, air traffic control, safety
 - People - build acceptance, trust within all facets of aviation
 - Systems - detect-and-avoid, lost link, reliable on-board systems
- Developing new and unique Unmanned Aerial Vehicle (UAV) Test and Evaluation capability
 - A remote and autonomously controlled capability using a General Aviation aircraft
 - On-board safety pilot allows for easy access to the airspace system.



“Solutions must be thoroughly modeled/tested and reliably demonstrate Equivalent Level of Safety”



“One Stop Shop for Flight Test Research”

Unique Technical Expertise

- Electronic, hardware/structural, and software engineering for aircraft modification
- Mechanical and electromagnetic effects engineering, thermal analysis, and data acquisition
- Airworthiness engineers to certify modifications and conduct hazards analysis
- Maintenance and fabrication technicians
- Quality assurance specialists
- Flight crew and mission planning and operations



Flight Platforms (6)



**Systems
Integration Labs (2)**



Fabrication Lab



NASA-Langley Aircraft Parameters


Aircraft	Service Ceiling, ft	Normal Cruise Speed, knots	Duration, hr	Payload, lbs	Cost Per Flight Hour, \$ (a)
B200	35,000	220	4	1000	1650
Cessna 206	15,700	142	6.7	1432	325
Cirrus SR22	17,500	180	6.1	1150	325
Lancair LC-40	14,000	200	5	279	325
OV-10A	26,000	180	3.5	4000 (b)	2000
UH-1H	14,000	110	1.6	1900	1650

Notes: (a) Includes flight planning, flight crew, and aircraft maintenance, does not include system integration;
(b) 3600 lbs can be external located in an external pod;



Langley Research Center

Flight Tested and Evaluated




Aviation "Weather Channel"



Audio Guidance



Atmospheric modeling and in-situ measurements



Lunar/Mars Lander radar systems



Synthetic Vision - Clear Skies All the Time



Attention Distribution Research



Summary

- LaRC has uniquely skilled and experienced personnel to support R&D remote sensing flight validation and operation platform work
- Ability to meet research needs through dedicated resources
- Demonstrated efficiency and rapid response to meet customer needs
- Cost effective flight assets
- Proven domestic and international planning and operating capability
- NASA LaRC Science and Aeronautics personnel research facilities in close proximity

“One Stop Shop for Flight Test Research”



Contacts

National Aeronautics and Space Administration



Frank P. Jones
Associate Director
Research Services Directorate

NASA Langley Research Center
Mail Stop 255A
Bldg. 1244 Rm. 240A
Hampton, Virginia 23681

Office: (757) 864-5271
Cell: (757) 303-1151
Fax: (757) 864-8549
Frank.P.Jones@nasa.gov

National Aeronautics and Space Administration



Bruce D. Fisher
Directorate Chief Engineer
Research Services Directorate

NASA Langley Research Center
Mail Stop 255A
Bldg. 1244 Rm. 242
Hampton, Virginia 23681

Office: (757) 864-3862
Fax: (757) 864-8549
Bruce.D.Fisher@nasa.gov

If you have further questions today, please
see a Partnership Consultant
(look for a Bright Yellow badge)
or visit the booth on
How To Do Business With Langley